

**BAHAMA<sup>®</sup>**

Magnum





**BAHAMA®**

# Bahama

Founded in 1950 today Bahama designs and manufactures a great variety of high-quality large-size parasols and sunsails. National and International customers alike trust in our industrial technology and accurate workmanship. The premium products from Bahama characteristically stand for technical attributes like compactness, durability and wind stability but also for aesthetical features like beautiful designs and materials.

»Made in Germany« – our full range production facility manufactures nearly all parts in house. Bahama further processes sustainable and environmentally friendly materials according to the OEKO-TEX 100 standard, Class 1. The combination of high-quality materials and the structural features allows Bahama to guarantee wind stability for its products, depending on the model, of up to 130 km/h.

**And most importantly: we love customer service** – from consulting to installation, from cleaning to winter storage and maintenance.

**Discover the possibilities of an extended outdoor season.  
No matter what the weather. Just get to know us!**

## „Magnum“ — The Heart of it All

Magnum is our premium model with the largest covered space ranging from 37 m<sup>2</sup> to 140 m<sup>2</sup> and many possibilities of additional features. The features can be individually combined depending on price expectations and technical requirements. All components of the structure are designed for exposure to enormous loads. Stability at wind speeds of up to 130 km/h is guaranteed.

- \* 11 different standard sizes ranging from 37 m<sup>2</sup> to 140 m<sup>2</sup>
- \* Round and square models
- \* Great variety of additional features, such as textile gutters, LED lighting, heating, speakers, TV, Wi-Fi and much more
- \* Membrane made of polyester with PVC coating
- \* Ideally suited for permanent opening of the parasol
- \* Depending on model opening and closing per crank or geared motor
- \* Standard frames in a RAL color of choice
- \* Perfect, lasting tension as the textile membrane is integrated into the spokes
- \* Large, contemporary selection of colors
- \* Excellent UV-protection UPF 50+
- \* Absolutely waterproof
- \* Numerous possibilities for printing on the textile membranes
- \* Newest generation of infrared radiators
- \* Wind stability up to a maximum of wind force 12 | 130 km/h





# Product Information

## 1 Textile membrane with PVC coating

Some locations or conditions require that the membrane is extremely robust and resilient. This includes the degree of flammability, amongst other things (DIN 4102-B1).

### Brand Name: Precontraint 502 Satin

PVC coated Polyester 1100 Dtex.  
SERGE FERRARI PRECONTRAI<sup>®</sup> coating technology

Grammage of approx. 570 g/m<sup>2</sup>

Excellent UV-protection UPF 50+  
protects against harmful UV radiation

Highest degree of fabric lightfastness

Heat-sealed segments, 100% waterproof

Fire retardant (DIN 4102-B1)

Exceptional surface stability and tear resistance


Durable, robust, dirt-repellant and stable in all weather conditions

Own cleaning possibility due to increased dirt accumulation through leaves, tree sap, bird-droppings, car exhaust or dust

Recyclable

40 contemporary colors

Printable with the most modern printing process



## 2 Parasol Frame

The difference may not be obvious at first sight: but the large-size parasols from Bahama have an inner and an outer pole that optically come together to form one center pole. Better sturdiness also means better stability and the corresponding safety.

### Center pole with Outer and Inner pole

Extra stability through extruded, internally strengthened and profiled aluminum center pole

Pole diameter approx. 220 mm, wall thickness approx. 10 mm

Impact and scratch resistant due to PES powder-coated center pole, post-baked

Standard frame in custom color according to RAL

Resin components in white or black

Cylindrical lock on the crank insert and, if necessary, on the motor cover prevent unauthorized opening and closing

### Spokes, Support Spokes, Bearings and Hinges

The quality of a parasol can only be as good as its supporting and connecting parts.

All aluminum parts pickled, powder-coated, fired at approx. 190°C

Bolts, screws and other functional parts made of V2A stainless steel

No plastic parts used

With hollow seam for spoke membrane integration

Individually exchangeable spokes and support spokes

### Specific technical details

Equipped with a twist lock **2.1**

Twist lock prevents distortion of the lifting pole; important in the case of extreme gusts of wind and for optimum membrane tension

### Necessary installation technology

The use of a mobile crane is needed for the installation because of the parasol's weight **2.2**. The Bahama mechanics are specially trained and particularly experienced for this task.



# Product Information



## 3 Motorization

Larger parasols are operated as standard with a motor (round from a diameter of 11 m, square from 10 m). Smaller models can be optionally equipped with a motor.

Weight: approx. 20 kg

Electric motor drive – 400 V/3-phase geared motor

Helical-bevel geared motor

Motor with heating tape AC 230V

Corrosion protection

0.75 kW



## 4 Installation Options | Foundation element

Structural measures are required for the installation of the foundation element that need to be taken into consideration during the planning phase.

Dimensions of the foundation element:  
83 × 83 × 100 cm; 100 × 100 × 120 cm


Weight approx. 130–240 kg depending on the size

Lower part to be set in concrete

Galvanized upper frame

With an aluminum chequer cover plate when the parasol is dismantled

Comparable element for parasols with electrical installations and heating [4.2](#)



## 5 Transport Packaging

The parasols leave our production facility in perfect condition. To ensure they arrive in perfect condition, they are delivered in specially designed transport constructions. The large-size parasol is transported suspended in a steel or wood fixture due to its weight.

# Additional Features



## 1 Printing

The Bahama UV printer uses 9 color channels. Only lightfast and highest quality inks are used to ensure color accuracy of fonts, logos and emblems, which are positioned with millimeter precision. The membrane segments are heat sealed together after printing.

---

No fading due to highly UV-resistant colors

---

Optimal advertising impact

---

Individual printing of the textile membranes



## 2 Extra Protection V4A | Maritime Edition

Optional off-shore stainless steel version »maritime«. Cannot be retrofitted.

---

All component parts made of a special alloy V4A stainless steel

---

Developed for use near the seaside

---

Especially durable

## 3 Textile Gutters

---

Gutter with a gradient for water runoff

---

Fastening with carabiners and chains

---

Stability due to rods inserted into the hollow seams

---

Colors matching the textile membrane

---

Optically appealing unit of parasol and gutter

---

High waterproofness

---

Protection against rain, bird droppings and leaves



## Frame Modification

---

The modification of the parasol frame is necessary (all spokes); threaded sockets are embedded in the spoke profile



# Additional Features

## 4 Side Panels

Made completely of textile fabric with or without flexible windows of 0.5 mm strong Polyglass [4](#)

Variable mounting on spoke profile [4.3](#)

High waterproofness

Stability due to rods inserted into the hollow seams

Drip edge on the ground made of PVC-coated fabric, Preconstraint 705-1070 [4.2](#)

Quick and easy to use; just hook it in

Light-permeable for a cozy atmosphere

Protection against sun, rain, wind and the cold

Temporary room solutions for individual event e.g. weddings, street parties, company festivities or to create a smoking area

Visual protection for unsightly surroundings like storage areas, clutter in the neighborhood, structural defects etc.

Protected seating area

Keeps a constant temperature of ambient air, especially in combination with heating radiators

Fixing of the side panel on the ground through customer

### OPTIONAL



Connecting piece for joining the side panels of 2 parasols [4.3](#)

Available with roll-up door, door either on the right or left side (width: 130 cm) [4.4](#)

Connection of two side panels via zipper [4.1](#)

## Frame Modification

Modification of the parasol frame for the attachment of the side panels per spoke; pre-assembly of threaded eye screws on spoke profile



Note: Photo shows a different umbrella model

# Additional Features



## 5 Lighting | LED Lighting

Economical energy consumption, due to LED light bulbs or LED strips

All wiring is inside; no tangled cables

Appealing lighting condition extends outdoor season

Creates a warm and inviting atmosphere

Pleasant working atmosphere for service personnel

### Lighting

8 lamps on the center pole (LED light bulbs E27) **5.1**

Light temperature 3000 K

8 × 5 W light power

240 V (available in US edition - 120 V)

### LED-Lighting

8 or 10 (in case of 12.0 × 12.0 m) RGB LED strips **5.2**

Indirect RGB LED lighting 120 - 240/24V

Dimmable with remote control **5.3**

Integrated into parasol spokes

Freely selectable color settings via remote control and app (when using the APP a sufficient Wifi range must be ensured; suitable Wifi equipment is available from us), including warm white, cold white and neutral

### OPTIONAL

16 or 20 (for 12.0 x 12.0 m) RGBW-LED strips, depending on the model



# Additional Features



## 6 Heating

Extended outdoor season; year-round outdoor living

8 or 10 turnable infrared radiators

Remote control can regulate 6 levels

1500 watts per radiator

Long-lasting »Ultra Low Glow« heating tube

radiators cannot remain in closed umbrella



## 7 Speakers

Audio system integrated into the frame

Optionally with one or two speakers

## 8 TV

### Frame Modification

Stable, light-weight mount

Installation for 1 or 2 screens per parasol

Standard TV mounting console in parasol with VESA-Norm 200 for a maximum screen size of 42 inches (picture 8)

240 V power connection for 1 or 2 TVs on the mounting console (available in US edition - 120 V)

Network connection CAT 7 inside the electric crown unit

## 9 Wifi

Only possible in combination with LED-Lighting option

Internal CAT7 wiring

Integrated CAT7 RJ45 network interface to be connected inside the in-ground installation

Internal power supply of the 24V DC router

Wifi Outdoor Access Point TP-Link EAP110 mounted onto center pole via weatherproof case

# Handling

The models with dimensions up to a diameter of 10 m (round) or 9.3 x 9.3 m (square) are opened and closed using a hand crank with the aid of a reduction gear. All other sizes are generally motorized, but also have a hand crank. Anyone generally wanting to make life easier can also equip any smaller model size with a motor and avoid using a crank.

---

## OPENING

- Insert the key and turn it to the right in the OPEN direction **1**
- Or: Insert the hand crank in the slot provided and turn it clockwise

---

## CLOSING

- Insert the key and turn it to the left in the CLOSE direction **1**
- Or: Insert the hand crank in the slot provided and turn it counter-clockwise. Should you intend to keep the parasol closed for a longer period, attach the safety strap

The excellent appearance and the technical features of the textile membrane can be maintained by adhering to the following closing procedures:

---

Always pull the tips of the fabric to the outside of a closed parasol

---

Do not store the parasol with any fabric stuck between the spokes and support spokes

---

Spirally wrap the fabric around the center pole **2**

---


Wrap the safety strap around the parasol to secure the fabric

---



# Dimensions & Technical Data

## Magnum



All measurements are approximate

	Ø 7.0 m 16 Spokes	Ø 8.0 m 16 Spokes	Ø 9.0 m 16 Spokes	Ø 10.0 m 16 Spokes	Ø 11.0 m 16 Spokes	Ø 12.0 m 16 Spokes
Area in m <sup>2</sup>	37	48	61	76	92	109
Parasol weight in kg	800	900	1,000	1,200	1,300	1,400
<b>A</b> Height closed in cm	640	659	713	735	785	840
<b>B</b> Height opened in cm	418	443	468	491	515	585
<b>C</b> Passage height in cm	258	264	267	268	272	295
<b>D</b> Ground clearance in cm	239	227	238	193	190	191
Max. permitted wind velocities fully opened parasol, km/h   Permanent	130	130	130	130	130	130



All measurements are approximate

	7.0 × 7.0 m 16 Spokes	8.0 × 8.0 m 16 Spokes	9.3 × 9.3 m* 16 Spokes	10.0 × 10.0 m* 16 Spokes	12.0 × 12.0 m* 20 Spokes
Area in m <sup>2</sup>	49	64	84	97	140
Parasol weight in kg	900	1,000	1,100	1,300	1,550
<b>A</b> Height closed in cm	683	749	768	797	929
<b>B</b> Height opened in cm	451	484	508	519	595
<b>C</b> Passage height in cm	276	285	276	278	296
<b>D</b> Ground clearance in cm	162	157	156	134	124
Max. permitted wind velocities fully opened parasol, km/h   Permanent	130	130	130	130	130

# Good to know

## Made in Germany

Bahama's customers always refer back to the great importance of our German production facilities. »Made in Germany« is still a unique selling point and a reason to buy. Bahama's full range production facility is located in Germany.

The combination of the highest quality materials and structural features allows Bahama to guarantee the wind stability of its products, depending on the model, up to 130 km/h. In addition to the technical details of the parasol, it is especially the lightfastness of the fabrics' colors, the waterproofness and grammage as well as the water column of the textile membranes which make Bahama top of its class. Trust is placed in Bahama by luxury hotels such as the Burj Al Arab in Dubai, the Hotel Sacher in Vienna and the Dalí Museum in St. Petersburg, USA.

## UV-Protection

Analogous to the sun protection factor/SPF all textiles are labeled with the ultraviolet protection factor/UPF. Built into the fabric it protects against hazardous UV radiation. This material fulfills the requirements for UPF 50+, which indicates an »excellent« dermatological UV protection factor and allows less than one fiftieth (<2%) of the UV radiation through the textile membrane onto the skin.

## Service

Service greatly influences the life span of a parasol. The exchangeable textile membrane of a Bahama parasol can – after being exposed to all sorts of weather conditions for years – be cleaned or replaced. Our service makes a full technical and general overhaul of the product such that they not only look attractive, but can defy the strongest of winds.

No matter where you need Bahama's service, the Bahama team or one of our expert partners will be glad to help – worldwide.

---

Careful and individual planning

---

Installation of new parasols

---

Fitting of new textile membranes

---

Complete service i.e. assembling and disassembling the large parasols, washing, cleaning and maintenance of the frame and textile membranes

---

Membrane service, i.e. fitting and removing the textile membrane, cleaning and repairing

---

Technical trainings

---

## Important Notes on the Characteristics of Our Fabrics

Our fabrics for outdoor use are specially designed to reliably withstand wind, sun, and occasional rain. Despite precise manufacturing, certain visual or material-specific characteristics may occur. These are natural side effects of fabric production, processing, and use, and do not affect the function or usability of your parasol.

### Creases

During tailoring and folding of the fabric, temporarily visible lines may appear. On lighter-colored fabrics, these creases may visually resemble faint shadows. They affect only the appearance and have no impact on the material's performance.

### Whitening (Fiber Strain Marks)

During processing, areas under high stress or folds may show lightening. These appear as light lines or streaks caused by tension in the fabric during tailoring. Even with the greatest care, such effects cannot be completely avoided.

### Abrasion Marks

Regular use or movement in the wind may cause localized friction marks, for example, where the fabric rubs against the frame or is under tension when closed. Carefully closing and securing the umbrella with our Bahama straps reduces unnecessary contact and helps minimize wear.

### Water Resistance & Rain Protection

Our fabrics are water-repellent and provide reliable protection in light rain. Prolonged or heavy exposure to moisture should be avoided, as it can stress the material over time. We recommend closing the umbrella during extended rain and fully opening any damp fabric afterward to allow it to dry completely, preventing mildew.



01/2026

**BAHAMA<sup>®</sup>**